

All India Council for Technical Education (A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. South-Central/1-2813423386/2016/EOA

Date: 05-Apr-2016

To,

The Principal Secretary (Higher Education) Govt. of Andhra Pradesh, J Block, 4th Floor, Secretariat Building, Hyderabad-500022

Sub: Extension of approval for the academic year 2016-17

Ref: Application of the Institution for Extension of approval for the academic year 2016-17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-Central	Application Id	1-2813423386
Name of the Institute	POTTI SRIRAMULU CHALAVADI MALLIKARJUNA RAO COLLEGE OF ENGINEERING AND TECHNOLOGY	Permanent Id	1-9363131
Name of the Society/Trust	SKPVV HINDU HIGH SCHOOLS COMMITTEE	Institute Address	D.NO: 7-3-6/1, RAGHAVA REDDY STREET, KOTHAPETA, VIJAYAWADA - 520 001. ANDHRA PRADESH., VIJAYAWADA, KRISHNA, Andhra Pradesh, 520001
Institute Type	Unaided - Private	Society/Trust Address	SKPVV HINDU HIGH SCHOOLS COMMITTEE I TOWN, KOTHAPETA, VIJAYAWADA. KRISHNA DISTRICT. ANDHRA PRADESH,VIJAYAWADA,KRISHNA,Andhra Pradesh,520001

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2016-17

Application Id: 1-2813423	386	Course		Affiliating Body		for	atus	uota	vining al
Program Shift	Level		Full/Part Time		Intake 2015-16	Intake Approved 2016-17	NRI Approval sta	PIO / FN / Gulf q Approval status	Foreign Collaborarion/Tv Program Approv status

Application Number: 1-2813423386 Note: This is a Computer generated Report.No signature is required.

Page 1 of 3 Letter Printed On:22 April 2016



All India Council for Technical Education (A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	CIVIL ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	60	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	120	120	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	ELECTRICAL AND ELECTRONICS ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	60	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	ELECTRONICS AND COMMUNICATI ONS ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	120	120	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	MECHANICAL ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	120	120	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	2nd Shift	DIPL OMA	CIVIL ENGINEERING	FULL TIME	State Board of Technical Education and Training, Hyderabad	60	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	2nd Shift	DIPL OMA	MECHANICAL ENGINEERING	FULL TIME	State Board of Technical Education and Training, Hyderabad	60	60	NA	NA	NA
MANAGEME NT	1st Shift	POS T GRA DUA TE	MASTERS IN BUSINESS ADMINISTRATI ON	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	180	180	NA	NA	NA

The above mentioned approval is subject to the condition that POTTI SRIRAMULU CHALAVADI MALLIKARJUNA RAO COLLEGE OF ENGINEERING AND TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In

Printed By : ae231401

All India Council for Technical Education (A Statutory body under Ministry of HRD, Govt. of India)



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Dr. Avinash S Pant Vice - Chairman, AICTE

Copy to:

- 1. The Regional Officer,
 - All India Council for Technical Education First Floor, old BICARD Building Jawaharlal Nehru Technological University Masab Tank, Hyderabad-500076
- 2. The Director Of Technical Education, Andhra Pradesh
- 3. The Registrar, State Board of Technical Education and Training, Hyderabad
- 4. The Principal / Director,

POTTI SRIRAMULU CHALAVADI MALLIKARJUNA RAO COLLEGE OF ENGINEERING AND TECHNOLOGY D.NO: 7-3-6/1, RAGHAVA REDDY STREET, KOTHAPETA, VIJAYAWADA - 520 001. ANDHRA PRADESH., VIJAYAWADA,KRISHNA, Andhra Pradesh,520001

```
    The Secretary / Chairman,
SKPVV HINDU HIGH SCHOOLS COMMITTEE
SKPVV HINDU HIGH SCHOOLS COMMITTEE I TOWN, KOTHAPETA, VIJAYAWADA. KRISHNA DISTRICT.
ANDHRA PRADESH,
VIJAYAWADA,KRISHNA,
Andhra Pradesh,520001
```

6. Guard File(AICTE)